

# Subretinal Autofluorescent Lesions: Towards a clinical classification

Salomon Yves Cohen

Sarah Mrejen, Alain Gaudric, Eric Souied

Centre d'Imagerie et de Laser, Paris  
Université Paris Est, Créteil, France





# Disclosures

- Allergan
- Bayer
- Novartis
- Roche
- Thea

# Subretinal Autofluorescent Lesions

- Lesions?: debris, deposits, material?












# Subretinal Autofluorescent Lesions

- Lesions ?: debris, deposits, material ?
- Subretinal ?:




"True" Subretinal Autofluorescent Deposit:  
Best vitelliform dystrophy







Stargardt's disease

# According to the putative physiopathology







# Various conditions

- Hereditary Inherited Conditions
- Congenital and/or Malformative Conditions
- Degenerative Disorders with Extracellular Deposits
- Vitreomacular Interface Disorders
- Tumors
- Malignant and Benign Immunoglobulinopathies
- Intraocular Lymphoma
- Immune and Inflammatory Conditions
- Pachychoroid Syndrome
- Toxic retinopathies and Iatrogenic disorders
- Miscellaneous





Maternally inherited diabetes and deafness





Stargardt's disease





Best vitelliform dystrophy

# Autosomal Recessive Bestrophinopathies



# Adult vitelliform macular dystrophy and pattern dystrophy




Inherited or Acquired




RE




LE






# Pseudoxanthoma élasticum




# Congenital and/or malformative conditions

- Nanophthalmos and other Uveal effusions
- Optic pit maculopathy
- Tilted disc syndrome

# Optic pit maculopathy



# Tilted Disk Syndrome





De Laage de Meux P, Souied E, Cohen SY: RETINA 2022, online access




# Degenerative disorders with extracellular deposits

- ARM
- Cuticular drusen with vitelliform macular detachment
- Amyloidosis
- Membranoproliferative glomerulonephritis

# Reticular Pseudodrusen



# Drusenoid PEDs and vitelliform lesions




The "sunny-side up"







Cuticular drusen with vitelliform macular detachment



Light-chain (AL)  
Amyloidosis





# Membrano-Proliferative Glomerulonephritis






# Vitreomacular interface disorders

- Epiretinal membrane (ERM)
- Vitreomacular tractions and ERM



# Epiretinal membrane






3 stages




# Tumors

- Choroidal melanoma
- Choroidal metastasis
- Choroidal hemangiomas




# orange pigment



Typical of choroidal melanoma but not specific






# Choroidal hemangiomas



# Intra-Ocular Lymphoma

- Leopard-spot retinopathy











# Malignant and Benign Immunoglobulinopathies

- Multiple myeloma (Kahler's disease)
- Waldenström's disease
- Benign monoclonal gammopathy
- Light chain deposition disease

Multiple myeloma









Waldenström's disease




# Immunoglobulinopathies






# Immunogammopathies






# Immune and Inflammatory Conditions

- Acquired exudative polymorphous vitelliform maculopathy
- Sarcoidosis
- AZOOR
- Paraneoplastic syndromes
- Acute syphilitic posterior placoid chorioretinitis



Acquired exudative polymorphous  
vitelliform maculopathy







Peripapillary AZOOR

# Paraneoplastic syndromes

- Cancer-associated retinopathy (CAR syndrome)
- Melanoma-associated retinopathy (MAR syndrome)
- Paraneoplastic vitelliform maculopathy
- Bilateral diffuse uveal melanocytic proliferation (BDUMP)
- Paraneoplastic optic neuropathy
- Polyneuropathy, organomegaly, endocrinopathy, monoclonal gammopathy, and skin changes syndrome (POEMS)





Paraneoplastic vitelliform maculopathy



Bilateral diffuse  
uveal melanocytic  
proliferation  
(BDUMP)


Giraffe pattern

# Acute syphilitic posterior placoid chorioretinitis




# Pachychoroid Syndrome




- Pachychoroid Pigment Epitheliopathy (PPE)
- Central Serous Chorioretinopathy (CSC)
- Pachychoroid Peripapillary Syndrome (PPS)
  
- Also: Pachydrusen, PCV, Pachyvessels...




# Pachychoroid Pigment Epitheliopathy (PPE)



# Central serous chorioretinopathy





## Pachychoroid Peripapillary Syndrome (PPS)






# Toxic retinopathies and Iatrogenic disorders

- Deferoxamine
- Mannitol
- Immune checkpoint inhibitors
- Heparanase inhibitors (Pentosan)
- Ocriplasmin
- Laser photic injury
- Retinal detachment surgery




# Mannitol

Intravenous  
mannitol  
maculopathy




# Immune checkpoint inhibitors

- Multiple areas of serous retinal detachment with spontaneous regression



## Heparanase inhibitors (Pentosan)



4 years course

Kalbag NS, Maganti N, Lyon AT, Mirza RG. Maculopathy Secondary to Pentosan Polysulfate Use: A Single-Center Experience. Clin Ophthalmol. 2021 Feb 11;15:513-519.


## Laser-induced photic injury

- Yellow macular linear streaks with a vertical pattern in the superior macula. Uneven autofluorescence




# Laser-induced photic injury


- Yellow macular linear streaks with a vertical pattern in the superior macula. Uneven autofluorescence



## Miscellaneous: Chorioretinal folds

- Autofluorescence imaging findings in long-standing chorioretinal folds.
- Autofluorescent lesions at the site of CRF












# Subretinal Autofluorescent Deposits

## Towards a clinical classification

- According to
  - 1. mostly the shape and location
  - 2. also the acute or non acute occurrence
- Vitelliform macular lesion
- Roundish or vitelliform multiple lesions
- Patterned
- Flecked
- Leopard spots
- Non patterned








BEST













Pseudovitelliform









Cuticular Drusen










Epiretinal  
Membrane











Multiple Myeloma





CSC






Age-related  
Maculopathy




A




B




C




D



E




F



G









H










I


Tilted Disk Syndrome



Deferoxamine  
toxicity








Autosomal  
Recessive  
Bestrophinopathy






Acute Exudative  
Polymorphous  
Vitelliform  
Maculopathy




Peripapillary  
AZOOR

A

B





Peripapillary  
Pachychoroid  
Syndrome


B

Peripapillary  
Pachychoroid  
Syndrome




C




D



E










F









Amyloidosis

D







Pseudoxanthoma  
Elasticum




Peripapillary  
Pattern  
Dystrophy






Flecked lesions



Stargardt's disease


Pentosan Maculopathy

Pseudoxanthoma Elasticum







Leopard-spot lesions

# Intraocular Lymphoma




## Uveal Effusion Syndrome






A





B

BDUMP


C




D



Membrane Blue  
Dual toxicity



Leopard-spot lesions




Macular patterned


A


B

Pattern  
Dystrophy

Pattern  
Dystrophy









# Non macular Patterned

Choroidal Melanoma




Choroidal Metastasis




Patterned at the location of the causal condition

Choroidal Hemangioma




Chorioretinal Folds




According to the shape and location

Non Patterned

Usually associated to a long standing serous retinal detachment with autofluorescent lesions at the site of the SRD



« According to the shape and location »  
is the most important for clinicians



# Clinical Classification of Subretinal Autofluorescent Deposits

- According to the number, shape and location
- According to the acute or non acute occurrence may also help to classify

# Subretinal Autofluorescent Deposits

- Most of them are related to a purely ophthalmic condition: Best, Stargardt, Pattern dystrophy, cuticular drusen with vitelliform detachment, AZOOR, Epiretinal membrane, Intraocular tumors, Pachychoroid syndrome...

# Subretinal Autofluorescent Deposits

- However, others may be the first manifestation of a potentially severe, and even, life-threatening condition, such as lymphomas, malignant immunoglobulinopathies, paraneoplastic retinopathies, or be the ocular side-effect of a systemic drug
- Be careful when the case is not fully typical of an ophthalmic condition

# Les Conférences du CIL

- [www.cil-paris.fr](http://www.cil-paris.fr)
- Online free access short conferences
- French, Spanish, English, Hebrew

# Les Congrès du CIL

- [www.cil-paris.fr](http://www.cil-paris.fr)
- DMLA en pratique: 8 Septembre 2023
- Les taches blanches du fond d'œil: 17 Novembre 2023, with Larry Yannuzzi